

NEW JERSEY ADULT MOSQUITO SURVEILLANCE

Report for 3 June to 9 June 2012, CDC Weeks 23

Prepared by Lisa M. Reed, Scott Crans and Mark Robson

Center for Vector Biology



This New Jersey Agricultural Experiment Station report is supported by Rutgers University, Hatch funds, funding from the NJ State Mosquito Control Commission and with the participation of the 21 county mosquito control agencies of New Jersey.


Summary Table – Week 23 (last full week)

Region	<i>Aedes vexans</i>			<i>Culex Mix</i>			<i>Coquillettidia perturbans</i>			<i>Aedes sollicitans</i>		
	This Week	Average*	Increase	This Week	Average*	Increase	This Week	Average*	Increase	This Week	Average*	Increase
Agricultural	0.02	2.41	0	0.55	4.09	0	0.10	0.42	0	0.00	0.19	0
Coastal	0.32	3.72	0	7.68	7.36	1	0.14	0.24	0	0.50	4.94	0
Delaware Bayshore	2.06	3.32	0	16.37	15.34	1	3.43	4.00	0	0.11	8.43	0
Delaware River Basin	0.00	3.79	0	1.43	1.38	1	0.29	0.12	3	0.00	0.01	0
New York Metro	0.97	2.21	0	8.59	7.15	1	0.10	0.36	0	0.17	0.96	0
North Central Rural	0.00	0.30	0	0.29	1.30	0	0.00	0.01	0	0.00	0.00	0
Northwest Rural	0.37	8.96	0	2.60	3.57	0	0.10	0.48	0	0.00	0.00	0
Philadelphia Metro	0.50	5.40	0	3.46	6.69	0	0.00	0.80	0	0.00	0.00	0
Pinelands	0.10	0.90	0	1.38	3.17	0	0.09	0.50	0	0.00	0.14	0
Suburban Corridor	0.50	3.26	0	1.48	2.00	0	0.21	0.35	0	0.00	0.01	0

*Averages represent data from, at most, the previous 5 years. Increase is a scale of current values from historical values where no difference or a decrease is represented by 0 (blue), up to 50% greater difference by 1 (green), up to 100% greater difference by 2 (yellow), up to 150% greater difference by 3 (orange) and greater than 150% increase by 4 (red). White cells in the increase column denote increases from an historic zero and thus no value can be appropriately given. nd=no data reported.

State Summary: *Aedes vexans* numbers are below historical trends in all regions. *Culex* populations are slightly above trends in the Coastal, Delaware Bayshore and River Basin as well as the New York Metropolitan regions. *Coquillettidia perturbans* is beginning to build populations, with numbers evident in the Delaware River Basin.

Climate Factors




The three figures show the interpolation of average maximum and minimum temperature and total precipitation through 1 June to 15 June, 2012 in New Jersey. Data points are from about 46 weather stations maintained through the New Jersey Weather & Climate Network and the State Climatologist. Interpolation between points was performed using ArcMap 9.2/10.


Average high, low temperatures and precipitation for the first two weeks of June is presented.

The Species Graphs: The species graph pages include a graph with two plots for each of the ten regions defined on the first page (Agricultural, Coastal, Delaware Bayshore, Delaware River, New York Metro, North-Central, Northwestern, Philadelphia Metro, Pinelands, and Suburban Corridor). Below is an example of one graph from one species within one region. The bar plot show the average number of mosquitoes per trap within the region (weekly means) and line plots show the historical trend as the average number of mosquitoes from the previous 5 years (5-year average). In general, historical data are running means from the previous 5 years, but on occasion, will include data from fewer years. Adjustments are made to account for year discrepancies. Data for this report are from Atlantic, Bergen, Burlington, Camden, Cape May, Essex, Hudson, Mercer, Monmouth, Ocean, Salem, Somerset, Sussex, Union and Warren counties. Data for the previous week is from Atlantic, Bergen, Burlington, Camden, Cape May, Essex, Hudson, Mercer, Middlesex, Monmouth, Ocean, Salem, Somerset, Sussex, Union and Warren counties. Note: County data is sent in at a variety of times during the week.

Weekly Means Against 5-year Average




Aedes vexans - Fresh Floodwater Species Multivoltine Aedine (Ae. vexans Type)




Culex Mix – Permanent Water Species


Multivoltine *Culex/Anopheles* (*Cx. pipiens* Type)




Culiseta melanura – Miscellaneous Group Unique (*Cs. melanura* Type)




Aedes sollicitans - Salt Floodwater Species Multivoltine Aedine (*Ae. sollicitans* Type)



Coquillettidia perturbans Monotypic (*Coquillettidia perturbans* Type)



Aedes cantator – Salt Floodwater Species Multivoltine Aedine (*Aedes sollicitans* Type)




WNV

EEE


Top Ten Mosquito Species/Region - ■ *Ae. albopictus*, ■ *Ae. japonicus* (invasives); ■ *Cs. melanura* or *Cx. erraticus* ■ *Coq. perturbans*

Note: In early season when fewer species are caught, graphs may show less than ten species/region or 25 statewide.




Agricultural



Total # mosquitoes



Coastal


Total # mosquitoes






New York Metropolitan

Total # mosquitoes




North Central Rural

Total # mosquitoes




Northwest Rural

Total # mosquitoes




Philadelphia Metropolitan

Total # mosquitoes



Pinelands

Total # mosquitoes



Suburban Corridor

Total # mosquitoes

