

VECTOR SURVEILLANCE IN NEW JERSEY EEE, WNV, SLE, LAC, DENV, CHIK, ZIKV, and JCV

Prepared by Lisa M. Reed and Dina Fonseca
Center for Vector Biology, Rutgers University
2 August to 8 August, 2020, CDC Week 32
Data download 3:01 pm 10 August



This New Jersey Agricultural Experiment Station report is supported by Rutgers University, Hatch funds, funding from the NJ State Mosquito Control Commission and with the participation of the Department of Health, Department of Agriculture and of the 21 county mosquito control agencies of New Jersey. Data is held in JerseySurv, a subset of the CalSurv system.

NOTE: County/species tables for arboviruses are now in a supplemental file [here](#)

Arbovirus Summary

- In 2020, there is one positive EEE pool in *Culiseta melanura*.
- There are 37 positive WNV pools, in *Culex Mix* (36) and *Aedes albopictus* (1).
- There are four positive JVC pools in *Aedes cantator* (2), *Aedes taeniorhynchus* (1), and *Coquillettidia perturbans* (1).
- There are no horse or human arbovirus cases reported.
- Note: Data download times are noted and do not necessarily reflect all pools submitted and analyzed to that point in time. This report may vary from other reports from the same dataset as they are all snapshots in time.

Culiseta melanura and Eastern Equine Encephalitis

SITE/Boxes	Inland or Coastal	Historic Population Mean	Current Weekly Mean	Total Tested* (Collected)	Total Pools Tested* (Submitted)	EEE Isolation Pools	MFIR
Bass River (Burlington Co.)/5	Coastal	0.18	0.80	(4)	(1)		
Green Bank (Burlington Co.)/25	Coastal	3.35	0.04	4 (5)	2 (3)		
Corbin City (Atlantic Co.)/25	Coastal	0.95	0.32	51 (109)	8 (10)	1	9.174
Dennisville (Cape May Co.)/50	Coastal	5.89	0.00	0	0		
Winslow (Camden Co.)/50	Inland	1.72	0.28	14	1		
Centerton (Salem Co.)/50	Inland	2.59	0.04	2	1		
Turkey Swamp (Monmouth Co.)/50	Inland	1.66	NC	12	8		
Glassboro (Gloucester Co.)/50	Inland	0.35	0.00	10	3		

*Current week (in parentheses) results pending. ‡ corrected from previous week NC=No Collection NR=Not Recorded

Remarks: Currently one positive EEE pool was detected collected in a pool of *Culiseta melanura* at the Corbin City traditional resting box site on 17 June. This is the earliest positive pool collected in the past 20 years (see graph page 2). All traditional sites are up and running.

Statewide, 2,374 *Cs. melanura* from 253 pools have been tested, with an overall *Cs. melanura* MFIR of 0.396. 86,591 specimens in 2968 pools from 38 other species have also been tested, with no positive pools detected. Overall MFIR for all species statewide is 0.011.


Traditional Resting Box Sites: 151 *Cs. melanura* from 24 pools has been tested, with one positive pool at Corbin City, collected 17 June. Three pools with 13 mosquitoes are pending. Overall MFIR at the traditional resting box site is 6.623.

Additional <i>Cs. melanura</i> trapped by counties *traps with positives indicated in BOLD UNDERLINED .					
County	Trap types*	Pools	Mosquitoes	Positives	MFIR
Atlantic	CO2, RB	22	279		
Bergen	RB	3	17		
Burlington	ULVT	31	756		
Cumberland	CO2, RB	5	18		
Gloucester	RB	40	494		
Middlesex	CO2, LT, RB	10	73		
Monmouth	CO2, Other	3	10		
Morris	CO2, RB	31	329		
Ocean	CO2	7	16		
Salem	CO2, Other, RB	23	60		
Sussex	CO2, RB	55	185		
TOTAL		230	2237		

Additional County-set *Cs. melanura*: Counties maintain trap sites for *Cs. melanura* in other areas, using a variety of traps. In the previous year, 2019, 36 pools of *Cs. melanura* have been found positive. Currently, there are no positive detections.

Graph below indicate start times to detection of EEE in *Culiseta melanura* from 1998 to 2020. This year is the earliest collected during that time period, suggesting multiple horse cases could occur this year.

Horses and Humans: Currently, no large animals have been reported with EEE. Last year eleven horses (plus 1 deer and 1 alpaca) were reported with EEE. All equids had either an incomplete or no vaccination history. **Horse owners are urged to make sure their horses are up to date on their vaccinations. Horse cases are known to occur through October and sometimes into November (see link below).** Other sensitive species are non-native birds, such as Ostriches/Emus and Gallinaceous birds such as pheasants of Eurasian origins.



Case	Animal	Age	Sex	County	Date of Onset	Euthanized?	Vaccinated?	Comment
------	--------	-----	-----	--------	---------------	-------------	-------------	---------


Horses and Vaccinations: The fate of unvaccinated equids reinforces the necessity of maintaining a vaccination schedule for arboviruses. For vaccination schedules recommended by the American Association of Equine Practices, see: http://www.aep.org/vaccination_guidelines.htm

There are no human cases of EEE currently reported. For more information, see DOH Vectorborne Surveillance reports: <https://www.nj.gov/health/cd/statistics/arboviral-stats/>

Species other than <i>Cs. melanura</i>	Pools	Mosquitoes	Positives	MFIR
<i>Aedes abserratus</i>	11	29		
<i>Aedes albopictus</i>	231	1902		
<i>Aedes atlanticus</i>	3	3		
<i>Aedes canadensis canadensis</i>	51	865		
<i>Aedes cantator</i>	34	819		
<i>Aedes cinereus</i>	1	16		
<i>Aedes excrucians</i>	2	2		
<i>Aedes grossbecki</i>	1	4		
<i>Aedes japonicus</i>	163	728		
<i>Aedes mitchellae</i>	1	4		
<i>Aedes provocans</i>	1	1		
<i>Aedes sollicitans</i>	20	471		
<i>Aedes sticticus</i>	7	176		
<i>Aedes stimulans</i>	14	32		
<i>Aedes taeniorhynchus</i>	19	663		
<i>Aedes thibaulti</i>	1	5		
<i>Aedes triseriatus</i>	51	189		
<i>Aedes trivittatus</i>	3	30		
<i>Aedes vexans</i>	44	351		
<i>Anopheles barberi</i>	1	3		
<i>Anopheles bradleyi</i>	1	1		
<i>Anopheles crucians</i>	14	120		
<i>Anopheles punctipennis</i>	80	674		
<i>Anopheles quadrimaculatus</i>	59	928		
<i>Anopheles walkeri</i>	2	7		
<i>Coquillettidia perturbans</i>	135	3558		
<i>Culex erraticus</i>	55	361		
<i>Culex Mix</i>	1734	69366		
<i>Culex pipiens</i>	112	3271		
<i>Culex restuans</i>	24	509		
<i>Culex salinarius</i>	42	1294		
<i>Culiseta inornata</i>	11	48		
<i>Culiseta morsitans</i>	13	48		
<i>Orthopodomyia signifera</i>	4	5		
<i>Psorophora ciliata</i>	1	1		
<i>Psorophora columbiae</i>	5	17		
<i>Psorophora cyanescens</i>	1	5		
<i>Psorophora ferox</i>	15	84		
<i>Psorophora howardii</i>	1	1		
State Total	2968	86591		





Additional Species: 38 additional species were tested for EEE. No positive pools have been detected to date.

Overall MFIR rates, human and animal cases per county:







Culiseta melanura Populations



Coastal



Inland



Culiseta melanura populations are now reported at all sites. First positive EEE pool has been detected at Corbin City, on 17 June. All sites except for Bass River are reporting populations well below historical averages.



 = Positive pool(s) detected (red = *melanura*, purple = other species).

EEE in US (2020 cumulative cases): (Black or Red = previous + new reported cases occurring)

- equine: 16(FL) 3(NY) 7(SC) 2(VA) 1(WI)
- mosquito pools: 1(FL) 46(MA) 1(NJ)
- sentinel: 18+1duck(FL)
- human: 1(MA)

West Nile Virus Positive Organisms in US, 2020

West Nile in US (2020 cumulative cases): Single black values indicate no change from previous week. Black values / red values equals previous week/**New totals**. Note: Data reported by all states should be considered provisional and subject to change. Sources for this table can be found [here](#).

	Birds	Mosquito Pools	Sentinels	Horses*	Humans
Alabama					0
Alaska					
Arizona		89	31		4
Arkansas					1
California	64/81	474/675	12/21	1/2	5/10
Colorado		2/4			0
Connecticut		2/25			
Delaware					
Florida	9/15	12	36/40	1	3
Georgia					
Hawaii					
Idaho	0	2/8		0	0
Illinois	5	126/265			0
Indiana	0	5/8		0	0
Iowa					1
Kansas					2
Kentucky					
Louisiana	2	121		1	0
Maine					0
Maryland(+DC)					1
Mass.		20/32			1
Michigan	1	1			0
Minnesota					0
Mississippi		43/60			2
Missouri		0		0	1

	Birds	Mosquito Pools	Sentinels	Horses*	Humans
Montana					0
Nebraska		0		0	0
Nevada					0
New Hampshire					0
New Jersey		15/23		0	0
New Mexico					3
New York					0
North Carolina					
North Dakota					0
Ohio		56/189		0	0
Oklahoma					0
Oregon	1	0	0	0	0
Pennsylvania		8			1
Rhode Island					0
South Carolina					
South Dakota		1/2			2
Tennessee					
Texas		262/377	1		1
Utah					0
Vermont					0
Virginia					0
Washington	0	3		0	0
West Virginia					
Wisconsin					
Wyoming		1			0

* Can include other species (e.g., dogs, cows) reported positive.

Protocol: New Jersey Department of Health (NJDH Public Health Environmental and Agricultural Laboratories, PHEAL) and the Cape May County Department of Mosquito Control tests mosquito pools using RT-PCR Taqman techniques.

Mosquito Species Submitted and Tested for West Nile Virus through 10 August 2020


Species	Pools	Mosquitoes	Positives	MFIR
<i>Aedes abserratus</i>	11	29		
<i>Aedes albopictus</i>	233	1957	1	0.511
<i>Aedes atlanticus</i>	3	3		
<i>Aedes canadensis canadensis</i>	51	865		
<i>Aedes cantator</i>	34	819		
<i>Aedes cinereus</i>	1	16		
<i>Aedes excrucians</i>	2	2		
<i>Aedes grossbecki</i>	1	4		
<i>Aedes japonicus</i>	165	762		
<i>Aedes mitchellae</i>	1	4		
<i>Aedes provocans</i>	1	1		
<i>Aedes sollicitans</i>	20	471		
<i>Aedes sticticus</i>	7	176		
<i>Aedes stimulans</i>	14	32		
<i>Aedes taeniorhynchus</i>	19	663		
<i>Aedes thibaulti</i>	1	5		
<i>Aedes triseriatus</i>	113	382		
<i>Aedes trivittatus</i>	3	30		
<i>Aedes vexans</i>	44	351		
<i>Anopheles barberi</i>	1	3		
<i>Anopheles bradleyi</i>	1	1		
<i>Anopheles crucians</i>	14	120		
<i>Anopheles punctipennis</i>	80	674		
<i>Anopheles quadrimaculatus</i>	59	928		
<i>Anopheles walkeri</i>	2	7		
<i>Coquillettidia perturbans</i>	135	3558		
<i>Culex erraticus</i>	55	361		
<i>Culex</i> spp.	1734	69366	36	0.519
<i>Culex pipiens</i>	112	3271		
<i>Culex restuans</i>	24	509		
<i>Culex salinarius</i>	42	1294		
<i>Culiseta inornata</i>	11	48		
<i>Culiseta melanura</i>	253	2374		
<i>Culiseta morsitans</i>	13	48		
<i>Orthopodomyia signifera</i>	4	5		
<i>Psorophora ciliata</i>	1	1		
<i>Psorophora columbiae</i>	5	17		
<i>Psorophora cyanescens</i>	1	5		
<i>Psorophora ferox</i>	15	84		
<i>Psorophora howardii</i>	1	1		
Grand Total	3287	89247	37	0.415

Remarks: To date 3,287 pools of 89,247 mosquitoes from 38 species have been tested. 37 positive WNV pools have been detected by RTPCR this year, 36 pools in *Culex* Mix and one pool in *Aedes albopictus* (collected in Union County 28

July). The pools were in Bergen, Burlington, Camden, Hudson, Mercer, Monmouth, Passaic, Somerset, and Union counties (earliest collected 30 June).

Humans, Horses and Wild Birds: No humans, horses or wild birds have been reported infected with WNV in 2020. Last year, eight human cases were reported. No horses were detected with WNV in 2019.

Birds are no longer routinely tested in New Jersey.



Above is a graph showing cumulative number of positive pools for the previous 11 years, inclusive of the most active (2018) and least active (2009) years. 2020 is represented in PINK.

Go [here](#) for the table supplement of arbovirus by county by mosquito species.